



DLYY

RUBBER PLUG

Stops leakage & Protects the environment

PRODUCT DESCRIPTION

- The rubber plug has corrosion resistance, and good sealing is not easy to crack and has a high-temperature resistance of up to 200°C-300°C.
- Wide Application: Rubber hole plugs are used for hole plugs, spraying, coating, and paint protection, and widely for blocking transmission, brake, vacuum pipelines, and ports in chemicals, machinery, construction, or laboratories.
- Package & Size: Rubber stopper plug total includes 60PCS~120PCS in 8 different sizes, sizes from 1/16" to 5/8". Color in pink, black, red, yellow, and blue, suitable for many sizes of holes use.

Advantage

- Multiple materials available (SILICONE, EPDM, NBR etc)
- High Elasticity
- Good insulation
- Excellent Sealing Performance
- Acid and Alkali Resistancelly



Series products

Reference Pictures	 60pcs 16mm 25mm 20mm 5pcs 13mm 25mm 17mm 5pcs 1.6mm 3.1mm 4.7mm 6.5mm 8.7mm 9.5mm 16mm 19mm 16mm 19mm 17.5mm 25mm 4.7mm 6.5mm 8.7mm 9.5mm 12mm 14mm 10pcs 10pcs 10pcs 10pcs 5pcs 5pcs	 100pcs 16mm 25mm 20mm 5pcs 13mm 25mm 17mm 5pcs 1.6mm 3.1mm 4.7mm 6.5mm 8.7mm 9.5mm 16mm 19mm 16mm 19mm 17.5mm 25mm 4.7mm 6.5mm 8.7mm 9.5mm 12mm 14mm 30pcs 20pcs 15pcs 10pcs 10pcs 5pcs	 120pcs 16mm 25mm 20mm 5pcs 13mm 25mm 17mm 5pcs 1.6mm 3.1mm 4.7mm 6.5mm 8.7mm 9.5mm 16mm 19mm 16mm 19mm 17.5mm 25mm 4.7mm 6.5mm 8.7mm 9.5mm 12mm 14mm 30pcs 30pcs 15pcs 15pcs 15pcs 5pcs
Code	KIT-60PCS	KIT-100PCS	KIT-120PCS
MOQ	10sets	10sets	10sets

We can also customize plastic boxes and other quantities of rubber plug kit according to your needs!

OEM products--MOQ 1000 pcs

Reference Pictures	SIZE		
	A	B	H
 	16mm	20mm	25mm
	13mm	17mm	25mm
	9.5mm	14mm	25mm
	8.7mm	12mm	17.5mm
	6.5mm	9.5mm	19mm
	4.7mm	8.7mm	16mm
	3.1mm	6.5mm	19mm
	1.6mm	4.7mm	16mm
	1.5mm	3.5mm	17mm
	1.7mm	4mm	27.7mm
	1.7mm	4.5mm	27.7mm
	5mm	7mm	30mm

OEM products--MOQ 1000 pcs

Reference Pictures	SIZE		
	A	B	H
	19mm	24mm	30mm
	24mm	31mm	30mm
	14.30mm	20.5mm	27mm
	14.30mm	18mm	25.9mm
	13.40mm	16.5mm	30mm
	13.40mm	15mm	25mm
	6.5mm	10.9mm	26mm
	3.2mm	9.2mm	32.1mm
	1.5mm	3.5mm	17mm
	1.7mm	4mm	27.7mm
	1.7mm	4.5mm	27.7mm
	5mm	7mm	30mm