



DLYY

RUBBER INFLATABLE AIRBAG

DALIAN YINGYU CO., LIMITED



RUBBER INFLATABLE AIRBAG

Description

Rubber airbags are inflatable rubber products commonly used in various engineering and construction fields to provide additional support and stability.

Product Specifications

Material: Nature rubber & Fabric or other customized materials

Style: Customized according to Usage environment

Advantage

1. Easy to use, economical and durable
2. Having sufficient strength to withstand the pressure
3. Soft and shrinks, and can be folded or curled freely when not inflated.
4. Can be reused hundreds of times.
5. Provided favorable conditions for lightweight construction on construction sites





Application

Rubber inflatable core molds play a crucial role in construction projects, as their expandable and shrinkable properties simplify the construction process, improve efficiency, and enhance component quality. When manufacturing hollow concrete components, the rubber inflatable core mold is placed in the middle of the component and expands by filling it with compressed air, forming a cavity. After the concrete solidifies, by releasing compressed air from the core mold, the core mold can shrink and be extracted from the cavity.




In hydraulic engineering, Rubber airbags can quickly block water flow at different diameters, planes, and positions, making them an ideal tool for pipeline water supply, drainage, sewage discharge, pipeline maintenance, and leakage detection



Regular design & Key Dimensions we have

Orders for ready-made or custom-made articles are welcome!

$\phi 180\text{mm} \times 6\text{--}20\text{m}$	$\phi 400\text{mm} \times 10\text{--}40\text{m}$	$350 \times 530(540)\text{mm} \times 10\text{--}40\text{m}$
$\phi 200(\phi 220)\text{mm} \times 10\text{--}20\text{m}$	$\phi 500\text{mm} \times 10\text{--}40\text{m}$	$320 \times 520(540) \times 10\text{--}40\text{m}$
$\phi 240(\phi 250)\text{mm} \times 15\text{--}40\text{m}$	$\phi 600\text{mm} \times 10\text{--}40\text{m}$	$350(360) \times 560\text{mm} \times 10\text{--}40\text{m}$
$\phi 300(\phi 330)\text{mm} \times 15\text{--}40\text{m}$	$\phi 620\text{mm} \times 10\text{--}40\text{m}$	$360 \times 640(650)\text{mm} \times 10\text{--}40\text{m}$
$\phi 350(\phi 360)\text{mm} \times 10\text{--}40\text{m}$	$\phi 700\text{mm} \times 10\text{--}40\text{m}$	$320 \times 520(550)\text{mm} \times 10\text{--}40\text{m}$





DLYY

DALIAN YINGYU CO., LIMITED

Dalian Yingyu Co., Ltd's current business scope includes the production and sales of industrial and engineering rubber products. Such as bridge expansion joints, waterstops, rubber fenders, rubber airbags, solar panel rubber strip, rubber valve accessories, rubber shock absorbers, rubber plugs, etc. We provide ODM&OEM service. Welcome to contact us for samples, inventory samples are free of charge.

VALUED CUSTOMERS

 **MAX SPARE**
LIMITED
QUALITY. PRECISION. SPEED.

iraundi
SPECIAL BEARINGS

LYC
— 中国·洛轴 —

 **SAFi**
Thermoplastic Valve Solutions

HPA

Dwyer

CS BEARING

