



DLYY

SEALING SOLUTION

- RUBBER STRIP

DALIAN YINGYU CO., LIMITED

DOOR GASKET OF CONTAINER

- **Brief introduction**

This product is mainly made of EPDM, with excellent weather resistance and aging resistance. We also developed PVC seal, And has new breakthrough in terms of product profile and shape design. And the Tightness and durability of the products are ensured reliable.



- **Features**

- With excellent flexibility and compression resistance
- With excellent cold resistance, it enjoys better tightness in wide temperature range, besides, it has good ozone, weather and aging resistance.


- **Performance**

Item	Unit	Index	Aging resistance		
Tensile strength	Mpa	>10	Change of hardness		≤±5
Elongation	%	>300	Change of Tensile strength	%	≤±10
Hardness	A	70±5°	Change of elongation	%	<-30
Compression(70°22h)	%	<18	Resistance to Ozone 1000pphm*100h(°C)	no-cracking	



DOOR GASKET OF CONTAINER

T SHAPED PROFILE



DOOR GASKET OF CONTAINER

· T SHAPED APPLICATION

- Truck for container, logistic, van etc.






- Door for grain storage, garage, storage





DOOR GASKET OF CONTAINER

· I SHAPED, M SHAPED PROFILE



DOOR GASKET OF CONTAINER

· I SHAPED, M SHAPED APPLICATION

- Truck for Refrigeration and freezing



-
- Truck for keeping warm and fresh



- **Brief introduction of product**

This product is mainly made of EPDM, with excellent weather resistance and aging resistance. We also developed PVC seal, it can do different color like white, yellow etc. It is widely adopted in boat fender, Train platform collision prevention, Garage collision avoidance etc.



- **Product Features**















- With excellent flexibility and compression resistance
- With excellent cold resistance, it enjoys better tightness in wide temperature range, besides, it has good ozone, weather and aging resistance.

- **Performance index**

Item	Unit	Index	Aging resistance		
Tensile strength	Mpa	>10	Change of hardness		≤±5
Elongation	%	>300	Change of Tensile strength	%	≤±10
Hardness	A	70±5°	Change of elongation	%	<-30
Compression(70°22h)	%	<18	Resistance to Ozone 1000pphm*100h(°C)	no-cracking	



D FENDER PROFILE



D FENDER PROFILE





D FENDER PROFILE


APPLICATION FOR D FENDER



RUBBER STRIP FOR CONTRUCTION

- Brief introduction of product

We can do different material of rubber strip with different shape in foaming,solid Form.Most we have mold in hand which can form to different area request.



- Widely used shape of size

Foaming plate exist mold

10*2	12*2	10*10	15*8
10*4	12*3	15*10	15*12
10*5	15*3	20*10	15*15
10*7	20*3	25*10	20*15
15*5	30*3	30*10	25*15
20*5	40*3	40*10	30*13
25*5	50*3	18*8	38*12
30*5	60*3	21*16	45*15
30*8	80*4	25*6	30*25
40*5	7*7	20*20	30*30
50*5	11*8	30*20	40*30
54*5	12*12	35*20	90*10
60*5	17*4	40*20	60*10
25*5	50*3	18*8	38*12
30*5	60*3	21*16	45*15
30*8	80*4	25*6	30*25
40*5	7*7	20*20	30*30
50*5	11*8	30*20	40*30
54*5	12*12	35*20	90*10
60*5	17*4	40*20	60*10

Solid plate exist mold

10*1	9*2	9*4	10*6
20*1	15*2	10*7	12*6
40*1	30*2	15*7	20*6
50*1	35*2	20*3	27*5
100*1	40*2	25*3	35*6
100*4	45*2	15*15	40*5
160*3	50*2	20*15	45*6
200*3	80*2	25*20	50*6
222*2	28*28	25*24	30*10

Foaming half round



10*6	15*5	16*6	20*10
10*10	15*10	16.5*7.5	40*10
15*3	15*15	20*3	
160*3	50*2	20*15	45*6
200*3	80*2	25*20	50*6
222*2	28*28	25*24	30*10

Foaming half round

10*6	15*5	16*6	20*10
10*10	15*10	16.5*7.5	40*10
15*3	15*15	20*3	





RUBBER STRIP FOR CONTRUCTION






RUBBER STRIP FOR CONTRUCTION





RUBBER STRIP FOR CONTRUCTION

APPLICATION FOR RUBBER STRIP











STRIP FOR GARAGE

- Brief introduction of product







We adopt PVC material to produce this garage rubber strip,it can Stops rainwater, draughts, leaves and even rodents to protect your garage. Suitable for mos door types and vehicle types.

- Widely used shape of size




STRIP FOR GARAGE

- Widely used shape of size



APPLICATION FOR GARAGE







DLYY

DALIAN YINGYU CO., LIMITED

Is a leading designer and manufacturer of seals and rubber products with over 20 years experience. We are serving the needs of countless industries from bearing and automobile to valve and machine. The products are exporting to many countries and well received. There are more than thousands of clients keeping in touch with us.

Our standard products cover most kinds of seals from o ring kit, o ring, X ring, rubber cord to V ring, oil seal, wiper seal, u ring, rod seal, piston seal. We can produce the custom molded rubber products as per customer's drawing or design. The material can be NBR, HNBR, SI, VITON, EPDM, CR, NR, PU, SBR, FVMQ, etc. To meet the requirement of different operation condition and environment protection standard, there is rubber with special certification approved, such as FDA, RoHS, SGS, UL, NSF, WRAS, and REACH etc., which can satisfy clients from different countries. And we are also the ISO9001 certification factory.

VALUED CUSTOMERS

